



# 35mm Needle Roller Linear Rail


heavy duty

Linear Guide-ways



**L1017.35**

LINEAR GUIDEWAYS



### Material

Hardened and ground steel (typically 60 HRC).

### Technical Notes

For carriages to suit the required load see

part nos. L1017.FN (flanged) and L1017.UN (unflanged).


Supplied with plastic covers for screws.

### Tips

**These are very heavy duty needle roller**

**rails and can only be used with corresponding needle roller carriages L1017. For standard linear guideways and carriages see part no. L1016.**

Order No.	Rail size	w <sub>1</sub>	h <sub>1</sub>	l <sub>1</sub>	l <sub>2</sub>	For screws	h <sub>2</sub>	d <sub>1</sub>	d <sub>2</sub>	l <sub>3</sub>	Weight kg
L1017.35-0320	30	34	32	320	40	M8	17	9	15	20	18.4
L1017.35-0400	30	34	32	400	40	M8	17	9	15	20	23.0
L1017.35-0480	30	34	32	480	40	M8	17	9	15	20	27.6
L1017.35-0560	30	34	32	560	40	M8	17	9	15	20	32.1
L1017.35-0640	30	34	32	640	40	M8	17	9	15	20	36.7
L1017.35-0720	30	34	32	720	40	M8	17	9	15	20	41.3
L1017.35-0800	30	34	32	800	40	M8	17	9	15	20	45.9
L1017.35-0880	30	34	32	880	40	M8	17	9	15	20	50.5
L1017.35-0960	30	34	32	960	40	M8	17	9	15	20	55.1
L1017.35-1040	30	34	32	1040	40	M8	17	9	15	20	2.3
L1017.35-1120	30	34	32	1120	40	M8	17	9	15	20	6.9
L1017.35-1200	30	34	32	1200	40	M8	17	9	15	20	11.5
L1017.35-1280	30	34	32	1280	40	M8	17	9	15	20	16.1
L1017.35-1360	30	34	32	1360	40	M8	17	9	15	20	20.7
L1017.35-1440	30	34	32	1440	40	M8	17	9	15	20	25.3
L1017.35-1520	30	34	32	1520	40	M8	17	9	15	20	29.8
L1017.35-1600	30	34	32	1600	40	M8	17	9	15	20	34.4
L1017.35-1680	30	34	32	1680	40	M8	17	9	15	20	39.0
L1017.35-1760	30	34	32	1760	40	M8	17	9	15	20	43.6
L1017.35-1840	30	34	32	1840	40	M8	17	9	15	20	48.2
L1017.35-1920	30	34	32	1920	40	M8	17	9	15	20	52.8
L1017.35-2000	30	34	32	2000	40	M8	17	9	15	20	0.0
L1017.35-2080	30	34	32	2080	40	M8	17	9	15	20	4.6
L1017.35-2160	30	34	32	2160	40	M8	17	9	15	20	9.2
L1017.35-2240	30	34	32	2240	40	M8	17	9	15	20	13.8
L1017.35-2320	30	34	32	2320	40	M8	17	9	15	20	18.4
L1017.35-2400	30	34	32	2400	40	M8	17	9	15	20	23.0
L1017.35-2480	30	34	32	2480	40	M8	17	9	15	20	27.6
L1017.35-2560	30	34	32	2560	40	M8	17	9	15	20	32.1
L1017.35-2640	30	34	32	2640	40	M8	17	9	15	20	36.7
L1017.35-2720	30	34	32	2720	40	M8	17	9	15	20	41.3
L1017.35-2800	30	34	32	2800	40	M8	17	9	15	20	45.9



Order No.	Rail size	w <sub>1</sub>	h <sub>1</sub>	l <sub>1</sub>	l <sub>2</sub>	For screws	h <sub>2</sub>	d <sub>1</sub>	d <sub>2</sub>	l <sub>3</sub>	Weight kg
L1017.35-2880	30	34	32	2880	40	M8	17	9	15	20	50.5
L1017.35-2960	30	34	32	2960	40	M8	17	9	15	20	55.1
L1017.35-3040	30	34	32	3040	40	M8	17	9	15	20	2.3
L1017.35-3120	30	34	32	3120	40	M8	17	9	15	20	6.9
L1017.35-3200	30	34	32	3200	40	M8	17	9	15	20	11.5
L1017.35-3280	30	34	32	3280	40	M8	17	9	15	20	16.1
L1017.35-3360	30	34	32	3360	40	M8	17	9	15	20	20.7
L1017.35-3440	30	34	32	3440	40	M8	17	9	15	20	25.3
L1017.35-3520	30	34	32	3520	40	M8	17	9	15	20	29.8
L1017.35-3600	30	34	32	3600	40	M8	17	9	15	20	34.4
L1017.35-3680	30	34	32	3680	40	M8	17	9	15	20	39.0
L1017.35-3760	30	34	32	3760	40	M8	17	9	15	20	43.6
L1017.35-3840	30	34	32	3840	40	M8	17	9	15	20	48.2
L1017.35-3920	30	34	32	3920	40	M8	17	9	15	20	52.8
L1017.35-4000	30	34	32	4000	40	M8	17	9	15	20	229.6